


YILKAR

AIRCONDITIONED

YK 135 MB A/C

YILKAR
AIRCONDITIONED

YK 135 MB



COOLING CAPACITY	12096 Kcal/h -13,5 KW
EVAPORATOR AIR MASS FLOW RATE	2400 m ³ /h
OUTSIDE TEMPERATURE MAX	50°C
CLEAN AIR MIXED	% 100 AMBIENT AIR
VOLTAGE / CURRENT	12V - 24V 47A - 25A
UNIT DIMENSIONS	1760X1280X220 mm
A/C UNIT WEIGHT	48,5 KG
√/C MONTAGE KIT WEIGHT	30 KG



A/C MONTAGE KIT (FOR COOLING)

YILKAR DIGITAL A/C CONTROL PANEL




MS POLYMER MASTIK SILICON



PE-ARMAFLEX



ELECTRICAL INSTALLATION



ELECTRICAL BOX+FUSE



A/C GAS HOSES



PRESSED CONNECTION FITTINGS



COMPRESSOR BRACKET



SD7 COMPRESSOR



MONTAGE KIT LIST

NUMBER	DESCRIPTION	QUANTITY
1	YILKAR A/C DIGITAL CONTROL PANEL	1 PCS
2	A/C GAS HOSES (13/32")	12 MT
3	A/C GAS HOSES (5/8")	12 MT
4	WATER DRAIN HOSES (Ø12)	8 MT
5	5/8" FITTING	2 PCS
6	13/32" FITTING	2 PCS
7	A/C INSTALLATION CABLE	11 MT
8	DIGITAL CONTROL INSTALLATION CABLE	12,5 MT
9	SILICON	4 PCS
10	ELECTRICAL BOX+FUSE	1 PCS
11	ROOF PE-ARMAFLEX	0,5 m ²
12	YK 135 MB A/C CONNECTORS	1 SET
13	SD7 A/C COMPRESSOR	1 PCS
14	COMPRESSOR BRACKET	1 PCS
15	AIR VACUM+MICRO FILTER	1 PCS

OPTIONAL

NUMBER	DESCRIPTION
1	ADDITIONAL HEATING SYSTEM